

# Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/GB2005/000642

International filing date: 02 March 2005 (02.03.2005)

Document type: Certified copy of priority document

Document details: Country/Office: GB  
Number: 0404643.9  
Filing date: 02 March 2004 (02.03.2004)

Date of receipt at the International Bureau: 17 July 2006 (17.07.2006)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland  
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



For Innovation

PCT/GB 2005 / 0 0 0 6 4 2

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

I also certify that the attached copy of the request for grant of a Patent (Form 1/77) bears an amendment, effected by this office, following a request by the applicant and agreed to by the Comptroller-General.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.


In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed *Andrew Gersey*

Dated 11 July 2006





02MAR04 EB77552-1 CB0537  
POL/7700 0.00-0404643.9 NONE

# Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road  
Newport  
South Wales  
NP10 8QQ

1. Your reference

Droop Snoot

2. Patent application number

(The Patent Office will fill in this part)

0404643.9

2 MAR 2004

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Stannah Stairlifts Limited  
Watt Close  
East Portway  
ANDOVER  
Hampshire SP10 3SD

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

England

5650779001

4. Title of the invention

Improvements in or Relating to  
Stairlifts

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

~~Ipca Consulting Limited~~  
~~Northpoint House~~  
~~52 High Street~~  
~~Knaphill~~  
~~Surrey GU21 2PY~~

~~Urquhart-Dykes & Lord LLP~~  
~~Alexandra House~~  
~~Alexandra Road~~  
~~SWANSEA~~  
~~SA1 5ED~~

Patents ADP number (if you know it)

7423692002

F51/77  
5/5/05

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number  
(if you know it)

Date of filing  
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing  
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

- a) any applicant named in part 3 is not an inventor, or
  - b) there is an inventor who is not named as an applicant, or
  - c) any named applicant is a corporate body.
- See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form 0

Description 7

Claim(s) 2

Abstract 0

Drawing(s) 1

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature

Andrew Harris

Date

1.09.2004.

12. Name and daytime telephone number of person to contact in the United Kingdom

Andrew Harris 01483 489818

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

## *IMPROVEMENTS IN OR RELATING TO STAIRLIFTS*

### *Field of the Invention*

This invention relates to stairlifts.

### *Background to the Invention*

In a significant number of stairlift installations, the lower end of the stairlift rail must overhang, or extend a significant distance beyond and below the first step of the stairway, to permit the stairlift carriage and footrest to terminate sufficiently closely to the floor, at the base of the stairway, to allow a stairlift user to easily mount, and dismount from, the stairlift. Consequently, if there are one or more doorways positioned adjacent the bottom of the stairway, the lower end of the rail will inevitably obstruct the opening and closing of doors; or otherwise obstruct normal day-to-day activity within the home.

To address this problem, the traditional solution has been to hinge the lower section of rail so that, when the stairlift is not in use, the lower end of the rail may be displaced into a position in which no obstruction is caused. An example of such a hinge is described in published International Patent Application No. WO 97/26207. An alternative arrangement, in which the lower end of the rail is displaced longitudinally with respect to the main rail section, is described in our UK Patent 2 360 994.

Both forms of prior art apparatus, referred to above, are relatively costly to manufacture and implement. They also add bulk and detract, aesthetically, from a stair lift installation. Further, conscious human intervention is required to ensure that, when the stairlift is not in operation, the lower rail section is displaced out of its operating position in which it may cause an obstruction.

It is an object of this invention to provide a stairlift installation which will go at least some way in addressing the aforementioned problems; or which will at least provide a novel and useful alternative.

### *Summary of the Invention*

Accordingly, in a first aspect, the invention comprises a method of providing a stairlift installation on a stairway having a first step up from the floor from which said stairway extends, said stairlift installation having:

a rail having a lower end and an upper end;

a carriage mounted on said rail for movement there-along;

a footrest mounted on said carriage for displacement with said carriage,

said method being characterised in that the lower end of said rail is terminated substantially on said first step, and

said rail and said carriage are constructed and arranged to ensure that, when said carriage is at its lower most position on said rail, said footrest is positioned below the level of, said first step.

In a second aspect the invention provides a stairlift installation for use on a stairway having a first step up from the floor from which said stairway extends, said stairlift installation including:

a rail having a lower end and up upper end;

a carriage mounted on said rail for movement there-along;

a footrest mounted on said carriage for displacement therewith;

said installation being characterised in that substantially the lower end of said rail is fixed to said first step, and

said rail and said carriage are constructed and arranged such that, when said carriage is at its lower most position on said rail, said footrest is positioned below the level of, said first step.

Preferably said rail has a main section arranged at the angle of said stairway, and a lower section extending from said main section which is angled downwardly with respect to said main section.

Preferably said lower section is substantially vertical.

In a third aspect the invention provides a rail for use in the stairlift installation set forth above, said rail having a lower section and a main section and being characterised in that said lower section is arranged at an angle to said main section.

Preferably said rail is defined by a single longitudinal member.

In a fourth aspect the invention comprises any novel combination of integers disclosed herein capable of addressing a problem known in the stairlift art.

Many variations in the way the present invention can be performed will present themselves to those skilled in the art. The description which follows is intended as an illustration only of one means of performing the invention and the lack of description of variants or equivalents should not be regarded as limiting. Wherever possible, a description of a specific element should be deemed to include any and all equivalents thereof whether in existence now or in the future. The scope of the invention should be limited by the appended claims alone.

#### *Brief Description of the Drawings*

One particular embodiment of the invention will now be described with reference to the accompanying drawings in which:

Figure 1: shows a stairlift installation according to the invention in a first position;  
and

Figure 2: shows a similar view to figure 1 but in a second, lower, position of operation.

#### *Detailed Description of Working Embodiment*

As can be seen in the drawings, according to the invention a stairlift installation 10 is provided for mounting on a stairway, part of the stairway being shown at 12. In the conventional manner stairway 12 extends upwardly from the floor 14 and includes a first step 15 and a second step 16 etc.

Also in the conventional manner, the stairlift 10 includes a rail 17 which extends up the stairway, at angle  $\emptyset$ , substantially parallel to the angle of the line through the edges of the stair treads. The stairlift installation further includes a carriage 19 which is displaceable up and down the rail, a chair 20 which is mounted on the carriage 19 for movement therewith, and a footrest 21 which again moves with the carriage 19.

In accordance with the invention, the lower end of the rail 17 is terminated substantially on the first step 15 of the stairway 12 as opposed to continuing down and engaging the floor 14. Further, the carriage 19 is constructed and arranged so that, when the carriage is at its lower most position on the rail 17, as shown in Figure 2, the footrest 21 lies below the lower edge of the rail and thus below the level of the first step 15. In this way a stairlift user can easily and safely mount, and dismount from, the chair 20.

In the preferred form of the invention, there will be no overhang of the rail at the bottom of the stairway. However, the invention envisages that part of the rail may pass down to the floor closely adjacent the first riser 13. In practice, no part of the rail should project more than about 100mm in front of the first step 15. Certainly, all forms of the invention envisage that no part of the carriage should intrude between the rail and the first riser 13.

The rail is preferably of a form described in our pending International Patent Application No. PCT/GB02/00607 or PCT/GB03/004746. The skate arrangement, i.e. the configuration and arrangement of rollers through which the carriage 19 engages with the rail 17, is preferably as described in our pending International Patent Application No. PCT/GB02/00607 or our pending British Application No. . The particular rail, skate and carriage arrangements described provide a compact unit which assists in the realisation of the present invention.

It will be appreciated, from comparing Figures 1 and 2, that as the carriage moves from the position shown in Figure 1, to that shown in Figure 2, there is a considerable degree of

rotation of the chair 20 with respect to the carriage 19, in order to maintain the chair in a level configuration. Such levelling may be effected using the levelling arrangement described in our European Patent 0 738 232.

It will further be appreciated that the realisation of the invention is further assisted by the linear geometry of the rail 17. More particularly, the rail 17 includes a main section 22 which extends, parallel to the stairway, at angle  $\emptyset$ , and a lower section 23 which is angled downwardly from the main section 22. In the particular embodiment shown herein, the lower section 23 of the rail is arranged substantially vertically when the installation is in place. Thus, during its lower section of travel, the stairlift carriage 19 is moving vertically downwards.

At its lower most position, as shown in Figure 2, the distance from the footrest 21 to the floor 14 can be as low as 50 to 150 mm.

It will thus be appreciated that the present invention provides an extremely effective form of stairlift installation which enables a stairlift user to safely and conveniently mount, and dismount from, the stairlift yet which avoids the need to provide a hinge in the rail in the event that continuation of the rail to the floor 14 would result in an obstruction at the base of the stairway.

To ensure that the carriage and chair are not left unattended for long periods in the position shown in Figure 2, and thus create an obstruction themselves, electronics within the carriage 19, which control the operation of the stairlift installation, may include a

function to sense when the carriage 19 has been left in the lower most position, unoccupied, and automatically operate the motor within carriage 19 to displace the carriage and chair a short way up the rail, for example to the position shown in Figure 1. Through such a function, a long term obstruction caused by the stairlift is avoided.

*Claims*

1. A method of providing a stairlift installation on a stairway having a first step up from the floor from which said stairway extends, said stairlift installation having:  
  
a rail having a lower end and an upper end;  
  
a carriage mounted on said rail for movement there-along;  
  
a footrest mounted on said carriage for displacement with said carriage,  
  
said method being characterised in that the lower end of said rail is terminated substantially on said first step, and  
  
said rail and said carriage are constructed and arranged to ensure that, when said carriage is at its lower most position on said rail, said footrest is positioned below the level of, said first step.
2. A stairlift installation for use on a stairway having a first step up from the floor from which said stairway extends, said stairlift installation including:  
  
a rail having a lower end and up upper end;  
  
a carriage mounted on said rail for movement there-along;  
  
a footrest mounted on said carriage for displacement therewith;

said installation being characterised in that the substantially the lower end of said rail is fixed to said first step, and

said rail and said carriage are constructed and arranged such that, when said carriage is at its lower most position on said rail, said footrest is positioned below the level of, said first step.

3. A stairlift installation as claimed in claim 2 wherein said rail has a main section arranged at the angle of said stairway, and a lower section extending from said main section which is angled downwardly with respect to said main section.
4. A stairlift installation as claimed in claim 3 wherein said lower section is substantially vertical.
5. A rail for use in the stairlift installation claimed in claim 2, said rail having a lower section and a main section and being characterised in that said lower section is arranged at an angle to said main section.
6. A rail as claimed in claim 5 defined by a single longitudinal member.
7. Any novel combination of integers disclosed herein capable of addressing a problem known in the stairlift art.



